



**TITLE: PALAEOLOGICAL IMPACT ASSESSMENT FOR THE PROPOSED ARIES-HELIOS 765KV
TRANSMISSION POWER LINE AND SUBSTATIONS UPGRADE, NORTHERN CAPE PROVINCE, SOUTH AFRICA**

VERSION: 1.0

Date: 28 APRIL 2016

NGT Consulting (Pty) Ltd.

Registration: 2012/166782/07 **V.A.T:** 4410265724

Physical Address: No. 2 Windsor Place, Princesses Avenue, Windsor West,
Randburg, 2194

Postal Address: PostNet Suite # 122, Private Bag X1, Northcliff, 2115

Tell: 011 476 6057 **Fax:** 011 476 7563

E-mail: nkosinathi@ngtconsulting.co.za / www.ngtconsulting.co.za

ACKNOWLEDGEMENT OF RECEIPT

CONSULTANT:	NGT Consulting (Pty) Ltd
Principal Heritage Consultant:	Mr Nkosinathi Tomose
CLIENT:	Mokgope Consulting (Pty) Ltd
Author(S):	Prof Marion Bamford
Contact Person	Mrs Judith Fasheun
Reviewer	Mr Nkosinathi Tomose
Telephone Number	011 440 1817
Telephone Number	011 476 6057
Fax Number	086 607 9481
Fax Number	011 476 7563
Cell phone Number	076 876 2672
E-mail Address:	nkosinathi@ngtconsulting.co.za
E-mail Address:	Judy@mokgope.co.za

SIGNATURE CORPORATE AFFAIRS	
SIGNATURE:	 NGT

COPYRIGHT

This palaeontological desktop study report (including all the associated data, project results and recommendations) whether manually or electronically produced, forming part of the submission and any other subsequent reports or project documents such as the inclusion in the Environmental

Management Plan report (document for which it is intended for - totally vest with the author, Professor Marion Bamford for NGT Consulting (Pty) Ltd (hereafter referred NGT Consulting). Therefore, it is the author's views that no parts of this report may be reproduced or transmitted in any form whatsoever for any person or entity without prior written consent and signature of the author or representatives of NGT Consulting. This limitation is with exception to Mokgope Consulting CC and its client Eskom Holdings SOC Ltd whose limitation to use the report and its results and recommendations shall be lifted with and after full settlement of the fees agreed upon with the NGT Consulting for the compilation and production of the report.

The limitation for the transmission of the report, both manually and electronically without changing or altering the reports results and recommendations, shall also be lifted for the purposes of submission, circulation and adjudication purposes by the relevant heritage authorities such as Northern Cape Resources Authority (provincial heritage authority), Heritage Western Cape (HWC) and the South African Heritage Resources Authority (SAHRA) and/or any other interested legalised government authority such as the DEA.

NGT consulting takes full liability for its specialists working on the project for all the heritage related matters. NGT Consulting will not take any liability for any other environmental related issues or challenges for the project other those services appointed for - these are the liability of the client.

DECLARATION OF INDEPENDENCE

This report has been compiled by Professor Marion Bamford, lead palaeontologist for NGT Consulting. The views expressed in this report are entirely those of the author and NGT Consulting no other interest was displayed during the decision making process for the project.

CONSULTANT:	NGT Consulting (Pty) Ltd
Specialist Signature	

EXECUTIVE SUMMARY

There is an extremely low chance of finding fossils in the sediments of the Dwyka group because these are deep water marine deposits and there are reports of isolates finds from elsewhere in this stratum.

There is a slightly greater chance of fossils occurring in the Prince Albert, Whitehill and Tierberg Formations but again reports are rare. Along palaeodrainage channels, watercourses or around pans there is a better chance of finding Quaternary aged fossils of wood and bones.

Based on these reports it is recommended that once a route has been selected and the sites for road access and excavation of foundations of towers have been determined; a geologist or environmentalist should be engaged to monitor the work. When fossil material is found a palaeontologist should be engaged to check the potential fossils and decide what should be removed and preserved (with the relevant permit from SAHRA or HWC). The rescued fossils would then be housed and catalogued in a recognized institution such as the McGregor Museum in Kimberley or Iziko Museum in Cape Town.

TABLE CONTENTS

ACKNOWLEDGEMENT OF RECEIPT.....	2
CONTENTS.....	Error! Bookmark not defined.

LIST OF FIGURES	5
1. BACKGROUND	5
2. METHODS.....	6
2.1. Stages.....	6
3. A GEOLOGICAL AND PALAEOONTOLOGICAL CONTEXT OF THE SITE	7
4. CONCLUSIONS	10
5. RECOMMENDATIONS	11
6. REFERENCES.....	12

LIST OF FIGURES

Figure 1-Google map of the proposed routes and corridor for the from the existing Aries Substation southwest of Kenhardt to the Helios Substation north of the town of Loeriesfontein in the Northern Cape Province. The total length of the power line would be approximately 165km. For this purpose three alternative alignments have been identified, one of which will be selected as the most viable proposition.

Figure 2-Geological map of the area between Kenhardt and Loeriesfontein between which are the proposed routes for the powerlines as indicated by the oval outline. Abbreviations of the rock types are explained in Table 1. Map enlarged from the Geological Survey 1: 1 000 000 map 1984.

LIST OF TABLES

Table 1- Abbreviations for the geological formations, lithology and approximate ages taken from Cornell et al. (2006), Johnson et al. (2006).

1. BACKGROUND

Eskom Holding SOC Limited proposes to construct a 765kV transmission power line for the “Proposed Northern Alignment 765kV Power Line Project”. A section of this line is to run from the existing Aries

Substation southwest of the town of Kenhardt to the Helios Substation north of the town of Loeriesfontein in the Northern Cape Province. The total length of the power line would be approximately 165km. For this purpose three alternative alignments have been identified, one of which will be selected as the most viable proposition.

The access roads and foundations for the towers are likely to impact on the palaeontological heritage in certain sections of the proposed route but it is anticipated that overall the impact will be minimal.

A broad area between Aries substation (29°29'21.86"S and 20°47'01.49"E) near Kenhardt and Helios substation (30°30'01.26"S and 19°33'27.05"E) near Loeriesfontein (*Fig 1*) has been assessed for the potential impact of this project.

2. METHODS

The published geological and palaeontological literature, unpublished records and databases were consulted to determine if there are any records of fossils from the sites and the likelihood of any fossils occurring there. The National Heritage Resources Act (Act 25 of 1999) and the National Environmental Management Act (Act 107 of 1998) requires that proposed developments must be preceded by the relevant impact assessment, in this case for palaeontology.

2.1. Stages

1. In order to determine the likelihood of fossils occurring in the affected area geological maps, literature, palaeontological databases and published and unpublished records must be consulted.

2. If fossils are likely to occur then a site visit must be made by a qualified palaeontologist to locate and assess the fossils and their importance.
3. Unique or rare fossils should either be collected (with the relevant SAHRA permit) and removed to a suitable storage and curation facility, for example a Museum or University palaeontology department or protected on site.
4. Common fossils can be sacrificed only if they are of minimal or no scientific importance but a representative collection could be made if deemed necessary.




Figure 1-Google map of the proposed routes and corridor from the existing Aries Substation southwest of Kenhardt to the Helios Substation north of the town of Loeriesfontein in the Northern Cape Province. The total length of the power line would be approximately 165km. For this purpose; three alternative alignments have been identified, one of which will be selected as the most viable proposition.

3. A GEOLOGICAL AND PALAEOLOGICAL CONTEXT OF THE SITE

Table 1- Abbreviations for the geological formations, lithology and approximate ages taken from Cornell et al. (2006), Johnson et al. (2006).

Symbol	Group/Formation	Lithology	Approximate Age
Q	Quaternary	Alluvium, sand, silcrete	Quaternary (last 2.5 Ma)
T-Qk	Kalahari Group	Sand, limestone	Quaternary (last 2.5 Ma)
Pc	Carnarvon Fm, Ecca Group	Sandstone, shale	Ca 260 Ma
Pt	Tierberg Fm, Ecca Group	shale	Ca 270 Ma
Pw	Whitehill Fm, Ecca Group	Carbonaceous shale	Ca 280 Ma
Ppr	Prince Albert Fm, Ecca Group	Shales, mudstones, sandstones	Early Permian
C-Pd	Dwyka Group	Diamictites, tillites, shales	Late Carboniferous-Early Permian
Nd	De Bakken Granites	Granite porphyry	
MB	Unnamed granites	Gneiss, granite	
Mge	Geelvloer Group	Quartzite, calc-silicate rocks	

In the most of the region are sediments of the Karoo Supergroup which are part of the northwestern section of the main Karoo Basin. However the older ones are from the oldest deposits and from glacial or deep water facies so fossils are very rare. The upper Ecca deposits are potentially fossiliferous.

The Dwyka Group is Late Carboniferous to Early Permian in age and in the northwestern part of the Karoo basin overlies the glaciated Precambrian bedrock (Visser, 1989). It is considered to have been deposited in a marine basin and comprises a number of different lithofacies types, including massive diamictites, stratified diamictites, massive carbonate-rich diamictite facies, conglomerate facies, sandstone, mudrock with stones and mudrock facies. The latter contains rare examples of fossil pollen, spores, plant remains, arthropod and fish trackways (Anderson and McLachlan, 1976; Anderson, 1981). These fossils have been recovered from sites in the southwest of the Karoo basin and northwest near the South African-Namibian border.

The Prince Albert Formation (base of the Ecca Group) is made up of grayish to olive-green micaceous shale and grey silty shale, sandstones and mudrocks. From near Douglas Anderson and McLachlan,

1976) have reported marine fossils (cephalopods, lamellibranchs and brachiopods), plant remains, palaeoniscid fish fragments and coprolites. These occurrences are well north of the proposed routes for powerlines.

The Whitehill Formation comprises mudrocks (which weather out with a white colour) and black carbonaceous pyrite-bearing shale (Johnson et al., 2006). A few fossils have been reported from Namibia and the northern part of the basin, and include plant fragments, rare insect wings (Anderson and McLachlan, 1976), palaeoniscid fish, *Notocharis tapscotii* (arthropod) and the marine(?) reptile *Mesosaurus* (Oelofen and Araujo, 1987) near Kimberley.

The Tierberg Formation (Early Permian) mostly comprises well-laminated dark shales and represent settling in deep low energy environments (Johnson et al., 2006). Thickness of this unit varies from 350-700m and the surface exposure is extensive in the Northern Cape Province. Rare fossils have been recorded from this formation and include trace fossils and sponge spicules. There are no vertebrate fossils preserved and terrestrial plants are extremely rare.

Quaternary alluvium, sands and silcretes overlie much of the rocks in this central part. While these sediments do not preserve fossils per se they are associated with river gravels, pans, ancient water courses and the like which may preserve isolated patches of fossils.

4. CONCLUSIONS

There is an extremely low chance of finding fossils in the sediments of the Dwyka group because these are deep water marine deposits and there are reports of isolated finds from elsewhere in this stratum. There is a slightly greater chance of fossils occurring in the Prince Albert, Whitehill and Tierberg Formations but again reports are rare. Along palaeodrainage channels, watercourses or around pans there is a better chance of finding Quaternary aged fossils of wood and bones.

5. RECOMMENDATIONS

Based on the low chance of fossils occurring in the area it is recommended that once the route has been selected and the sites for road access and excavation of foundations of towers have been determined, a geologist or environmentalist is engaged to monitor the work. If fossil material is found, a palaeontologist should be engaged to check the potential fossils and decide what should be removed and preserved (with the relevant permit from SAHRA or HWC). The rescued fossils would then be housed and catalogued in a recognized institution such as the McGregor Museum in Kimberley or Iziko Museum in Cape Town.

6. REFERENCES

Anderson, A.M. 1981. The *Umfolozia* arthropod trackways in the Permian Dwyka and Ecca Groups of South Africa. *Journal of Paleontology* 55: 84-108, pls. 1-4.

Anderson, A.M. & McLachlan, I.R. 1976. The plant record in the Dwyka and Ecca Series (Permian) of the south-western half of the Great Karoo Basin, South Africa. *Palaeontologia africana* 19: 31-42.

Bamford, M.K., de Wit, M.C.J. 1993. Taxonomic description of fossil wood from Cainozoic Sak River terraces, near Brandvlei, Bushmanland, South Africa. *Palaeontologia africana*, **30**:71-80.

Cornell, D.H., Thomas, R.J., Moen, H.F.G., Reid, D.L., Moore, J.M., Gibson, R.L., 2006. The Namaqua-Natal Province. In: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J., (Eds). *The Geology of South Africa*. Geological Society of South Africa, Johannesburg / Council for Geoscience, Pretoria. pp. 325-379.

Johnson, M.R., van Vuuren, C.J., Visser, J.N.J., Cole, D.I., Wickens, H.deV., Christie, A.D.M., Roberts, D.L., Brandl, G., 2006. Sedimentary rocks of the Karoo Supergroup. In: Johnson, M.R., Anhaeusser, C.R. and Thomas, R.J., (Eds). *The Geology of South Africa*. Geological Society of South Africa, Johannesburg / Council for Geoscience, Pretoria. Pp 461 – 499.

Oelofson, B.W., Araujo, D., 1987. *Mesosaurus tenuidens* and *Sterosternum tumidum* from the Permian Gondwana of both southern Africa and South America. *South African Journal of Science* 83, 370-372.

Visser, J.N.J., 1989. The Permo-Carboniferous Dwyka Formation of southern Africa: deposition by a predominantly subpolar marine icesheet. *Palaeogeography, Palaeoclimatology, Palaeoecology* 70, 377-390.